

## PREQUALIFICATION DOCUMENT SUBMITTAL

TSS Trading LLC, PO Box 282691, Dubai, United Arab Emirates TEL: +971 4 380 5391, FAX: +971 55 329 8094







TSS Trading LLC, PO Box 282691, Dubai, United Arab Emirates
TEL: +971 4 380 5391, FAX: +971 55 329 8094



### **TABLE OF CONTENTS**

Sl.No	DESCRIPTION	PAGE NO.
1	Introduction	2
2	Company License	3-6
3	Chambers of Commerce	7
4	Previous Approval	8-14
5	ISO Certificate	15-17
6	Organization Chart	18
7	Guarantee of Quality	19-20
8	Range of Products	21-37
9	Major clients	38-39
10	Previous works	40-46

TSS Trading LLC, PO Box 282691, Dubai, United Arab Emirates

TEL: +971 4 380 5391, FAX: +971 55 329 8094 Website: www.sportsnets-me.com/ Email: sportsnets@tss-me.com



#### Introduction

At TSS our company philosophy is aimed at providing the full range of Sports & Leisure nets and services to our customers with integral safety and quality in mind. We are leading this field by providing Safety nets as well as Sports & Leisure nets backed up with Technical, Training, Rigging, and maintenance support services.

We pride ourselves on having in-depth industry and market knowledge and understanding the need of our customers.

Our tremendous growth in such a short space of time shows our customer's confidence in our products and services providing us with the inspiration to continue our journey in providing a safer workplace for our customers.

Since its inception, TSS has grown organically, predominantly through referral and customer satisfaction which is a testament to the high standards we work to and our dedication to our customers.



# Trade Licence & Chamber of Commerce



TSS Trading LLC, PO Box 282691, Dubai, United Arab Emirates TEL: +971 4 380 5391, FAX: +971 55 329 8094



	ä	مة تجار	، خم	
0.		ercia		
## 47 c	LILLI	erela		3112¢

		- Comm	ercial License	Complete Com	
				License Details	الفاصيل الرخصة ا
License No.			666898		رقم الرخصة
				تي اس اس للتجارة ش.ذ.م.م	اسم الشركة
Company Name	TSSTRADING L.L.C	:			
				تي اس اس للتجارة ش ذ م م	الإسم التجاري
Trade Name	TSSTRADING L.L.C				
Legal Type	Limited Liability Company	y(LLC)		ذات مسئولية محدودة	الشكل القانونى
Expiry Date	07/03/2022	تاريخ الإنتهاء	Issue Date	08/03/2012	تاريخ الإصدار
D&B D-U-N-S ®	0	الرقم العالمي	Main License No.	666898	رقم الرخصة الام
Register No.	1091517	رقم السجل التجارى	DCCI No.	202864	عضوية الغرقة

			License Men	الاطراف / nbers
الحصص / Share	الصفة / Role	الجنسية / Nationality	الاسم / Name	رقم الشخص/.No
	مدیر / Manager	بريطانيا / United Kingdom	بيهروز شاهابي	469599
		BEHROO	Z SHAHABI	
	مدیر / Manager	الهند / India	فيبين كومار كاوثنل كيشور	420051

Beneficiary Owner consent of this license has been signed on 01/08/2021. For more information or to know the Beneficiary Owner please visit any DED service center or DED eServices website.

تم توقيع إفادة المستفيد الحقيقي لهذه الرخصة بتاريخ 01/08/2021. للمزيد من المعلومات أو لمعرفة المستقيد الحقيقي يرجى التكرم بزيارة مراكز الخدمة أو الخدمات الالكثرونية التلبعة لدائرة التثمية الاقتصادية

vipin kumar

<b>Building &amp; Construction Materials Trading</b>
Occupational Hygiene & Safety Requisites Trading

Phone No	971-04-3805391	تثيفون
Fax No	971-04-3214155	فاكس
Mobile No	971-50-8846743	هاتف متحرك

		العنوان Address /
P.O. Box	282691	صندوق بريد
Parcel ID	365-346	رقم القطعة

البريد الإلكتروني / Email

تجارة مواد البناء

#### الملاحظات / Remarks

تم اضافة وانسحاب شريك في 7/7/2013 ... تم اضافة فيبين كومار في 15/09/2013

**Print Date** 

01/08/2021

تاريخ الطباعة 12:40

Receipt No.

14000131

رقم الإيصال

يمكنك الأن تجديد رخصتك التجارية من خلال الرسائل النصية القصيرة، أرسل رقم الرخصة إلى 6969 (دو/اتصالات) للحصول على اذن الدفع.

Now you can renew your trade license by sending a text message (SMS). Send your trade license number to 6969 (Du/ Etisalat) to receive payment voucher.

Get FREE access to Zoho One for the first year

نشاط الرخصة التجارية / License Activities



THE EMIRATES

وثيقة الكترونية معتمدة وصالرة بدون توقيع من دانرة النتمية الاقتصادية المراجعة صحة البيانات الواردة في الرخصة برجاء زيارة الموقع www.dubaided.gov.ae Approved electronic document issued without signature by the Department of Economic Development. To verify the license kindly visit www.dubaided.gov.ae



#### ملحق الشركاء Partners

تفاصيل الرخصة / License Details

D&B D-U-N-S ®

0

License No. الرقم العالمي

666898

رقم الرخصة

License	Partners 1	اصحاب الرخصة

الحصص / Share	مبيئسل الشخص/.Sr. No	الجنسية / Nationality	Name / וلاصم
55.0000000%	225414	Bahamas / جزر الباهاما	Taurani Holdings Limited / توراني هولدينجز ليعتد
30.0000000%	420051	India / الهند	Vipin Kumar / فيبين كومار كاوشل كيشور
15.0000000%	469599	United Kingdom / بريطانيا	Behrooz Shahabi / بيهروز شاهابي

Print Date

01/08/2021


12:40

تاريخ الطباعة

Receipt No.

14000131

رقم الإيصال



Now you can renew your trade license by sending a text message (SMS). Send your trade license number to 6969 (Du/ Etisalat) to receive payment voucher.

Get FREE access to Zoho One for the first year احصل على زوهر ون مجاتاً للسنة الاولى



الدمسارات THE EMIRATES www.dubaided.gov.ae وصادرة بدون توقيع من دائرة النتمية الاقتصادية ,أمر اجعة صحة البيانات الواردة في الرخصة برجاء زيارة الموقع Approved electronic document issued without signature by the Department of Economic Development. To verify the license kindly visit www.dubaided.gov.ae





#### شهادة شهر قيد شركة في السجل التجاري

#### Commercial Register

تفصيل القيد / Register Details

Main Lice. Nr

666898

.Register No رقم الرخصة الأم

1091517 تى اس اس للتجارة ش د م م رقم القيد

Company

Name

TSSTRADING L.L.C

Legal Type

Limited Liability Company(LLC)

ذات مسئولية محدودة

الشكل القانوني

**Expiry Date** 

07/03/2022

Reg. Date تاريخ الإنتهاء

D&B D-U-N-S No.

08/03/2012

تاريخ الإصدار

الرقم العالمي

Nominated

Paid

No. of Shares Currency

**UAE Dirhams** 

تفاصيل راس المال / Capital Details

0

0

300,000

المدفوع

0

درهم اماراتي

عدد الأسهم العملة

عنوان الرخصة / License Address

مستودع رقم 1 - ملك مؤسسة دبي العقاريه - القوز الصناعية الثانيه

عنوان السجل التجاري / Commerce Address

مستودع رقم 1 - ملك مؤسسة دبي العقاريه - القوز الصناعية الثانيه

انشطة السجل / Register Activities

تجارة لوازم السلامة والصحة المهنية وادواتها

تجارة مواد البناء

Occupational Hygiene & Safety Requisites Trading

**Building & Construction Materials Trading** 

Print Date

01/08/2021


12:40

تاريخ الطباعة

Receipt No.

14000131

رقم الإيصال



على اذن الدفع. Now you can renew your trade license by sending a text message (SMS). Send your trade license number to 6969 (Du/ Etisalat) to receive payment voucher

Get FREE access to Zoho One for the first year



THE EMIRATES

وثيقة إلكترونية معتمدة وصادرة بدون توقيع من دائرة التتمية الاقتصادية ,لمراجعة صحة البيانات الواردة في الرخصة برجاء زيارة الموقع www.dubaided.gov.ae Approved electronic document issued without signature by the Department of Economic Development. To verify the license kindly visit www.dubaided.gov.ae

### غـرفــة دّبـايـ DUBAI CHAMBER

### شهادة تسجيل العضوية Membership Certificate

License no.	666898		
Membership n	0. 202864		
Registration no	· 1091517		
Trade Name	TSSTRAD	ING L.L.C	
Legal Status	Limited Liab	ility Company	(LLC)
Activity	Requisites Tr	Hygiene & Sading Construction M	
Member Since	08/03/2012		
Date of Issue	08/03/2012		
Expiry Date	07/03/2022		

	ontridenting (SS)
الرخصة 6898	رقم
العضوية 2864	رئم
السجل التجاري 517	رقَم
م انتجازی کی اس	ועב
عَلَ الْقَانُولَيَ ذَاتَ.	الث
ع النشاط كجار تجار	y <b>i</b>
ريخ الإنتساب 12(	μ
يخ الإصدار 112	کار
يخ الإنتياء (22	كار
	العضوية 1864. السجل التجاري 517 م التجاري تي ام كل القانوني ذات ع النشاط تجار يخ الإنتساب 112.

#### Remarks

This certificate shall be invalid incase of any alteration without chamber's authorization

For online verification of this Certificate, please visit our website http://www.dubaichamber.ae/verify

غرفة تجارة وصناعـــة دبــي Dubai Chamber of Commerce & Industry اعتماد ذلك من الغرفة للتأكد من صحة بيانات الشهادة يرجى الرجوع إلى موقع الغرفة http://www.dubalchamber.ae/verify

تعتبر هذه الشهادة لاغية في حال أي كشط أو تعديل عليها دون

الملاحظات

P.O. Box 1457 - Dubai, U.A.E. | Tel (Within UAE) 800 CHAMBER (800 2426237) | Tel (Outside UAE) (+971) 4 2280000 هـا تـف (+971) 4 2211646 فاكس | customercare@dubaichamber.ae



### **Previous Approval**



TSS Trading LLC, PO Box 282691, Dubai, United Arab Emirates TEL: +971 4 380 5391, FAX: +971 55 329 8094







#### TSS SPORTS NETS

Date of Issue:

6th Sep 2021

This is to certify that the below mentioned project, the installed Barrier Netting is in accordance with project requirements and are approved by client.

Company

: Elegant EMC Building Contracting L.L.C

Project

: Barrier Netting

Location

: Dubai

Reference

: CC-21394-SPNETS-BARRIER NETTING-00

 It is hereby declared that installed materials are in good condition free of any damage, defects or shortages at the time of completion.

 Any changes, alterations or tampering of the installed Barrier Netting MUST be carried out with prior permission of TSS TRADING L.L.C in writing.

PO# EMC/1935 DATE: - 20.05.21

TSS:

Name: J. Potos Thomson

Authorised signature:

Position: Projects manages

CLIENT:

SUCIATHAN

Authorized Signature: --

Position: --- P-G

\*Note: Kindly revert the document to TSS with sign and Stamp.

TSS Trading LLC(Total Safety Solutions)

**Professional Safe Working Solutions** www.tss-me.com









#### TSS SPORTS NETS

Date of Issue:

11th Oct 2021

This is to certify that the below mentioned project, the installed Shade Netting are in accordance with project requirements and are approved by client.

Company

: Top Golf - Dubai

Project

: Shade

Location

: Dubai

Reference

: CC-21574-SPNETS-SHADE NETTING-00

- It is hereby declared that installed materials are in good condition free of any damage, defects or shortages at the time of completion.
- Any changes, alterations or tampering of the installed Shade Netting MUST be carried out with prior permission of TSS TRADING LLC in writing.

TSS:

Name: J. Poter Thomson

Authorised signature: ---

Position: - Fragells Monages

**CLIENT:** 

Name RECFIVED

Authorized Signature:

\*Note: Kindly revert the document to TSS with sign and Stamp.

TSS Trading LLC(Total Safety Solutions)

sional Safe Working Solutions www.tss-me.com







#### TSS SPORTS NETS

Date of Issue:

11h JAN 2022

This is to certify that the below mentioned project, the installed Tiger Turf are in accordance with project requirements and are approved by client.

Company

: AMC Complete Interiors

Project

: Tiger Turf

Scope

: Supply & Installation of 3 Padel Tiger Turf

Location

: Abu Dhabi

Reference

: CC-211500-SPNETS-TIGER TURF-00

- ① It is hereby declared that installed materials are in good condition free of any damage, defects or shortages at the time of completion.
- Any changes, alterations or tampering of the installed Tiger Turf MUST be carried out with prior permission of TSS TRADING LLC in writing.

TSS:

Name: J. Peter Thomson

Authorised signature: ---

Position: Projects monogon

CLIENT:

Name:

Authorized Signature:

Position: --

\*Note: Kindly revert the document to TSS with sign and Stamp.

TSS Trading LLC(Total Safety Solutions)

Professional Safe Working Solutions www.tss-me.com







Date of Issue:

19th December 2021

This is to certify that the below mentioned project is fabricated, assembled and installed in accordance with layout drawings issued to and approved by client.

Company

: Phoenician Technical Services LLC

Attention

: Mr. Ionathan Villorente

**Project** 

: DH2 Park - 2106

No: of Padel Court: 1 Court

Location

: Dubai, United Arab Emirates

Reference

: CC-21684-SPNETS-PADEL COURTS-00

- ⊙ It is hereby declared that installed materials (Steel frame, Tempered Glass, Tiger Turf, Lighting & Wiring) is fabricated based on World Padel Tour (WPT) specifications, assembled and installed in good condition free of any damage, defects or shortages at the time of completion.
- The foundation & surface upon which the structure is anchored is outside the scope of TSS

#### Warranty:

S275 Steel frame: 2 years warranty

12mm Tempered Guardian Glass: 3 years warranty

Artificial Grass: 10 years UV warranty

- The warranty does not cover any physical/mechanical damages caused by any third party, negligence in usage, accident/misuses/mishandling, exposure to severe service conditions which exceeds the safe design limits.
- The warranty does not cover any repair, replacement or modification to any works done by any unauthorized party, which might affect or represent any kind of violation to design standards, safety requirements or standard operations and maintenance.

TSS: CLIENT: Name: J. Potors Authorised Signature: -Authorized Signature Position: -----\*Note: Kindly revert the document to TSS with sign and Stamp. TSS Frading LLC (Total Safety Solutions) 9001:

Charles Working Solutions





Date of Issue:

January 21st 2022

This is to certify that the below mentioned project is assembled and installed in accordance with manufacturer's user instruction and layout drawings issued to and approved by client.

Company

: Al Futtaim

Project

: Installation of 13 nos. of Lifeline system in Festival City Mall

Location

: Dubai - U.A.E

Reference

: TSS 21569-AL FUTTAIM-FESTIVAL CITY-PLL-00

 It is hereby declared that installed system is manufactured according to EN 795:2012, assembled and installed in good condition, free of any damage, defects or shortages at the time of inspection.

 $\odot$  Any changes, alterations or tampering of the installed lifeline system MUST be carried out with prior permission of TSS TRADING LLC in writing.

TSS:

Name: J. Peter Thomson

**Authorised Signature:** 

Position: ·

CLIENT:

Name: Mansoor

**Authorized Signature:** 

Position: Operation Manager

21.1.2022

gd/C(Total Safety Solutions)





Date of Issue:

16th December 2021

This is to certify that the below mentioned project, the Training & Supervision are in given accordance with project requirements and are approved by client.

Company

: Parkway International Contracting LLC

Attention

: Mr. Elryah Nour Eldin

Project

: MBR District BP2 G+ 8-47-003

Scope

: Training & Super vision for TSS Safety net

Location

: Dubai

Reference

: CC-211376-PARKWAY INTERNATIONAL-TSFAN

TSS:

Name: J. Peter Thomson

Authorised signature:

Position:

CLIENT:

Name: El Wah Nour Eleli

Authorized Signature:

Position: HSE Manager

\*Note: Kindly revert the document to TSS with sign and Stamp.

P.O.Box: 282691 Dubai - U.A.E

TSS Trading LLC(Total Safety Solutions)

**Professional Safe Working Solutions** www.tss-me.com





### **ISO Certification**



TSS Trading LLC, PO Box 282691, Dubai, United Arab Emirates TEL: +971 4 380 5391, FAX: +971 55 329 8094



### Certificate Of Registration Awarded to

#### TSS TRADING LLC

P.O.BOX: 282691, STREET 26, AL QUOZ AREA 2, DUBAI, UAE

Quality Registrar Systems certify that the management system of the above organization has been audited and found to be in compliance with the QRS requirements for registration of the management system standard detailed below:

ISO 9001:2015

Quality Management Systems

Scope of work

- BUILDING & CONSTRUCTION MATERIALS TRADING
- OCCUPATIONAL HYGIENE & SAFETY REQUISITES TRADING

IAF 29

Certificate No: ADU-1933

Originally Registered: 15 JAN 2022

Latest Issue: 15 JAN 2022 Valid up-to: 14 JAN 2025





MANAGING OFFICE ADDRESS: QRS (INTL)

Abu Dhabi United Arab Emirates



Quality Registrar Systems



Tel: +971 2 671 2161 Fax: +971 2 674 1449 www.qrs-intl.com



### Certificate Of 9 Registration

Awarded to

#### TSS TRADING LLC

P.O.BOX: 282691, STREET 26, AL QUOZ AREA 2, DUBAI, UAE

Quality Registrar Systems certify that the management system of the above organization has been audited and found to be in compliance with the QRS requirements for registration of the management system standard detailed below:

ISO 45001:2018

Occupational Health and Safety Management Systems

Scope of work

- BUILDING & CONSTRUCTION MATERIALS TRADING
- OCCUPATIONAL HYGIENE & SAFETY REQUISITES TRADING

IAF 29

Certificate No: ADU-3724

Originally Registered: 15 JAN 2022

Latest Issue: 15 JAN 2022 Valid up-to: 14 JAN 2025









ORS (INTL) Abu Dhabi United Arab Emirates



Quality Registrar Systems




Tel: +971 2 671 2161 Fax: +971 2 674 1449

www.grs-intl.com



### **Organisation Chart**



TSS Trading LLC, PO Box 282691, Dubai, United Arab Emirates

TEL: +971 4 380 5391, FAX: +971 55 329 8094 Website: www.sportsnets-me.com/ Email: sportsnets@tss-me.com



### **Guarantee of Quality**



TSS Trading LLC, PO Box 282691, Dubai, United Arab Emirates

TEL: +971 4 380 5391, FAX: +971 55 329 8094 Website: www.sportsnets-me.com

Email: sportsnets@tss-me.com



#### **CERTIFICATES OF EXCELLENCE OF THE COMPANY**

**CERTIFICATE AENOR ER0167/2001** and **CERTIFICATE IQNet** confirm that our management system complies with the current international standard **ISO 9001**. We are a reliable partner that has a management system under external control.

**CERTIFICATE OF ORIGIN** demonstrates that 100% of our products are manufactured in Spain.

#### **QUALITY CERTIFICATES**

**OEKO-TEX CERTIFICATE** confirms that all our polypropylene nets meet all international environmental standards and restrictions on hazardous substances (according to REACH regulation). The fiber has been assigned Product Class 1 (items for babies and infants), which is the most restrictive in its scale.

**AITEX FIRE REACTION CERTIFICATE** confirms the highest class "M1" to our flame-retardant polypropylene fiber.

**B1 CERTIFICATE OF FIRE REACTION** confirms the compliance with DIN 4102-1. **CERTIFICATE UKAS OF FIRE REACTION** confirms that flame retardant nylon nets meet the requirements of NFPA 701.

#### CERTIFICATES OF CONFORMITY OF THE PRODUCTS

**CERTIFICATES AENOR, EURO TEST, GS** confirm that safety nets comply with **EN-1263-1. CONFORMITY CERTIFICATE** confirms that our safety nets are tested to meet or exceed **ANSI A10.11.** 

**CE CERTIFICATE** confirms compliance with the **EN-1891** standard of a Type A Semi-static rope.

**DECLARATION OF CONFORMITY** signed by the Director-General.

**CERTIFICATE RITT SPORT LOISIRS** confirms compliance with the French standard **NF S 52-106**, which regulates the production of ski-protection nets:

- a) for rigid posts (S1);
- b) for flexible posts (S2).

**DEKRA CERTIFICATE** confirms the conformity and quality of container nets.





### **Range of products**



TSS Trading LLC, PO Box 282691, Dubai, United Arab Emirates

TEL: +971 4 380 5391, FAX: +971 55 329 8094 Website: www.sportsnets-me.com Email: sportsnets@tss-me.com



### WHY KNOTLESS TECHNOLOGY?

#### **ALWAYS SAME MESH SIZE**

All knotted netting must be treated in heat autoclaved for mesh stabilization, so they remain fixed. And if it's not done properly, it can cause different mesh sizes within the same net. This is impossible for knotless meshes which are fixed forever.

#### **SPACE SAVING**

Knotless nets take less space and are easier to pack. Therefore, this feature helps to save money while transporting.

#### LIGHT WEIGHT

Knotless nets are lighter than knotted. It is also an important value when transporting and mounting large nets.

#### HARMLESS IN CASE OF FALL

Knotless nets are harmless in case of catching peoples. This feature could be different with knotted nets when people can have dangerous scratches and burns.

### WHY HIGH TENACITY POLYPROPYLENE (PPhT)?



To UV rays, cold / hot.

To acids, It can's damage our PPhT except boiled Xylene.
To dirt. Our polypropylene doesn't react with cement, paint or other substances.

To water. PPhT doesn't absorb it and has less density so its floats. In fact, PPhT doesn't conduct electricity.



PPhT is 100% recyclable and eco-friendly. Anti-allergic with OEKO-TEX certificate. Without microorganisms

because PPhT blocks the light that form bacteria and microbes.



Several colours, sizes and shapes.

#### Guarantee

We are a financially stable company maintaining Quality Management System which fulfills the requirements of the following standard ISO 9001:2015. Also, having the certificates like IQNET, AENOR, EUROTEST, GS, we are always supervised by external international auditors.

#### **Best value**

At our own laboratory with modern equipment we check the row material and final product by chemical, static, dynamic and aging test to ensure its highest quality, so the nets have the appropriate strength and mesh size. Each production is controlled by R & D department directed by personnel with specific training in textile

### Flexibility of production & customization

We can produce the nets of any size, color, form. Production experience transmitted from generation to generation that allows to make the most difficult netting projects. We can personalize the nets using custom label with your logo or advertisement on the same net or PVC band.

#### **Fast service**

We are differentiating from the others by lingual flexibility and by wishing to find solutions which will help save time and money to our partners.

Our delivery time varies seasonally, but for special requests we have FAST-TRACK service that can be helpful in urgent situations.

### Comfortable packaging & marketing support

We take care of every detail for having all products nicely packed for a more comfortable experience of the end customer. We are also actively improving online and offline marketing tools that help our customers to be different.

TSS Trading LLC, PO Box 282691, Dubai, United Arab Emirates TEL: +971 4 380 5391, FAX: +971 55 329 8094



#### Football A11

#### **Professional Line: 4 mm**

#### CLASSIC GOALS




(7.5 length x 2.5 height x 1.2 top depth x 2.5 bottom depth)



Article	Description	Thickness	Material	Mesh	Color
12444010000	Football A11	3 mm	PP	100 mm	
12444010001	Football A11	3 mm	PP	100 mm	
12444010002	Football A11	3 mm	PP	100 mm	
12444010003	Football A11	3 mm	PP	100 mm	
12444010004	Football A11	3 mm	PP	100 mm	
12444012006	Football A11	3 mm	PP	100 mm	
12013512000	Football A11	3 mm	PA	100 mm	
12444012000	Football A11	3 mm	PP	120 mm	
12444010020	Football A11	3 mm	PP	120 mm	
12444010030	Football A11	3 mm	PP	120 mm	
12444010040	Football A11	3 mm	PP	120 mm	4
12444012162	Football A11	3 mm	PP	120 mm	1
12444012163	Football A11	3 mm	PP	120 mm	
12444012160	Football A11	3 mm	PP	120 mm	
12444012151	Football A11	3 mm	PP	120 mm	







BOX-SHAPED GOALS

(7.5 length x 2.5 height x 2 top depth x 2 bottom depth)






Article	Description	Thickness	Material	Mesh	Color
12444030000	Football A11 Box-Shaped	4 mm	PP	100 mm	
	Featured product: Spanish P	rofessional Fo	otball Leag	ue	
12444030001	Football A11 Box-Shaped	4 mm	PP	100 mm	
12444030002	Football A11 Box-Shaped	4 mm	PP	100 mm	
12444030003	Football A11 Box-Shaped	4 mm	PP	100 mm	
12444030004	Football A11 Box-Shaped	4 mm	PP	100 mm	
12444030006	Football A11 Box-Shaped	4 mm	PP	100 mm	_
12013512100	Football A11 Box-Shaped	4 mm	PP	100 mm	
12444030200	Football A11 Box-Shaped	4 mm	PP	120 mm	
12444010920	Football A11 Box-Shaped	4 mm	PP	120 mm	1
12444010930	Football A11 Box-Shaped	4 mm	PP	120 mm	
12444010940	Football A11 Box-Shaped	4 mm	PP	120 mm	1
12444012062	Football A11 Box-Shaped	4 mm	PP	120 mm	1
12444012063	Football A11 Box-Shaped	4 mm	PP	120 mm	
12444012060	Football A11 Box-Shaped	4 mm	PP	120 mm	<b></b>
12444012051	Football A11 Box-Shaped	4 mm	PP	120 mm	
12444035000	Football A11 Box-Shaped	4 mm	PP	hexagonal	
	Featured product:	World Cup 20	18		
12444019920	Football A11 Box-Shaped	4 mm	PP	hexagonal	4
12444019930	Football A11 Box-Shaped	4 mm	PP	hexagonal	I
12444019940	Football A11 Box-Shaped	4 mm	PP	hexagonal	1

TSS Trading LLC, PO Box 282691, Dubai, United Arab Emirates TEL: +971 4 380 5391, FAX: +971 55 329 8094



### **Football Nets**





FOOTBALL WORLD CUP: South Africa (2010) Brazil (2014)


Russia (2018)

ASIAN CUP: in Australia (2015)

AMERICA CUP

EURO: in France (2016)

in Chile (2015)



**TSS Sports Nets** produces high quality football nets in a large variety of both regular and custom sizes upon request. Meeting all the requirements of the **EN748**, our finest UV treated Polypropylene football goal nettings are demanded for the top football clubs around the world and are present on the most important competitions.

The strength and durability of our football goal nets is well recognised. Our cleverly designed knotless football nets are made of high tenacity, UV stabilised and rot-proof polypropylene. All our full size football goal nets are available in both solid and multiple colour options to fit all styles of football goal posts. Our football nets can match most team colours.

Our football netting meets all the requirements of the EN

#### 748 standard:

- Mesh size is not more than 120mm.
- Thickness diameter is more than 2 mm.
- Have a tension rope along the back for a better fixation of the net.

#### Football A11


#### **Training Line: 3 mm**

# 1.2

#### CLASSIC GOALS

(7.5m length x 2.5m height x 1.2m top depth x 2.5m bottom depth)

Article	Description	Thickness	Material	Mesh	Color
12533512000	Football A11	3 mm	PES	100 mm	
12443010000	Football A11	3 mm	PP	100 mm	
12443010001	Football A11	3 mm	PP	100 mm	
12443010002	Football A11	3 mm	PP	100 mm	



**BOX-SHAPED GOALS** 

(7.5 length x 2.5 height x 2 top depth x 2 bottom depth)

Article	Description	Thickness	Material	Mesh	Color
12513530000	Football A11 Box-Shaped	4 mm	PES	100 mm	
12443030000	Football A11 Box-Shaped	4 mm	PP	100 mm	
12443030001	Football A11 Box-Shaped	4 mm	PP	100 mm	
12443030002	Football A11 Box-Shaped	4 mm	PP	100 mm	





TSS Trading LLC, PO Box 282691, Dubai, United Arab Emirates TEL: +971 4 380 5391, FAX: +971 55 329 8094



1

1

4


4

#### Football A7


#### Training Line: 3 mm

#### CLASSIC GOALS





Article	Description	Thickness	Material	Mesh	Color
12513590000	Football A7	3 mm	PES	100 mm	
12443090000	Football A7	3 mm	PP	100 mm	
12443090001	Football A7	3 mm	PP	100 mm	
12443090002	Football A7	3 mm	PP	100 mm	



#### BOX-SHAPED GOALS

(6 length x 2 height x 2 top depth x 2 bottom depth)

Article	Description	Thickness	Material	Mesh	Color
12333090090	Football A7 Box-Shaped	4 mm	PES	100 mm	
12443090900	Football A7 Box-Shaped	4 mm	PP	100 mm	

#### Professional Line: 4 mm


#### CLASSIC GOALS



(6 length x 2 height x 1 top depth x 1.5 bottom depth

1.5 bottom deptn)	12444090000	Football A7	3 mm	PP	100 mm	
	12444090001	Football A7	3 mm	PP	100 mm	
	12444090002	Football A7	3 mm	PP	100 mm	
	12444090003	Football A7	3 mm	PP	100 mm	
	12444090004	Football A7	3 mm	PP	100 mm	
Glasses.	12444090006	Football A7	ball A7         3 mm         PP         100 mm           ball A7         3 mm         PA         100 mm           ball A7         3 mm         PP         120 mm	100 mm		
	12013592000	Football A7	3 mm	PA	100 mm	
	12444092000	Football A7	3 mm	PP	120 mm	
	12444090020	Football A7	3 mm	PP	120 mm	4
	12444090030	Football A7	3 mm	PP	120 mm	4
8	12444090040	Football A7	3 mm	PP	120 mm	4
B	12444090021	Football A7	3 mm	PP	120 mm	4
recipion of the lands	12444092163	Football A7	3 mm	PP	120 mm	
	12444092160	Football A7	3 mm	PP	120 mm	
	12444092151	Football A7	3 mm	PP	120 mm	







(6 length x 2 height x 2 top depth x 2 bottom depth)



12444090900	Football A7 Box-Shaped	4 mm	PP	100 mm
12444092900	Football A7 Box-Shaped	4 mm	PA	100 mm
12444092920	Football A7 Box-Shaped	4 mm	PP	120 mm
12444090920	Football A7 Box-Shaped	4 mm	PP	120 mm
12444090930	Football A7 Box-Shaped	4 mm	PP	120 mm
12444090940	Football A7 Box-Shaped	4 mm	PP	100 mm
12444090921	Football A7 Box-Shaped	4 mm	PA	100 mm
12444090963	Football A7 Box-Shaped	4 mm	PP	120 mm
12444092162	Football A7 Box-Shaped	4 mm	PP	120 mm
12444092164	Football A7 Box-Shaped	4 mm	PP	120 mm
12444095000	Football A7 Box-Shaped	4 mm	PP	hexagonal
12444099920	Football A7 Roy-Shaped	4 mm	PP	hevagonal



12444092162	Football A7 Box-Shaped	4 mm	PP	120 mm	
12444092164	Football A7 Box-Shaped	4 mm	PP	120 mm	
12444095000	Football A7 Box-Shaped	4 mm	PP	hexagonal	
12444099920	Football A7 Box-Shaped	4 mm	PP	hexagonal	1
12444099930	Football A7 Box-Shaped	4 mm	PP	hexagonal	
12444099940	Football A7 Box-Shaped	4 mm	PP	hexagonal	1
	12444092164 12444095000 12444099920 12444099930	12444092164         Football A7 Box-Shaped           12444095000         Football A7 Box-Shaped           12444099920         Football A7 Box-Shaped           12444099930         Football A7 Box-Shaped	12444092164         Football A7 Box-Shaped         4 mm           12444095000         Football A7 Box-Shaped         4 mm           12444099920         Football A7 Box-Shaped         4 mm           12444099930         Football A7 Box-Shaped         4 mm	12444092164         Football A7 Box-Shaped         4 mm         PP           12444095000         Football A7 Box-Shaped         4 mm         PP           12444099920         Football A7 Box-Shaped         4 mm         PP           12444099930         Football A7 Box-Shaped         4 mm         PP	12444092164         Football A7 Box-Shaped         4 mm         PP         120 mm           12444095000         Football A7 Box-Shaped         4 mm         PP         hexagonal           12444099920         Football A7 Box-Shaped         4 mm         PP         hexagonal           12444099930         Football A7 Box-Shaped         4 mm         PP         hexagonal

TSS Trading LLC, PO Box 282691, Dubai, United Arab Emirates

TEL: +971 4 380 5391, FAX: +971 55 329 8094 Website: www.sportsnets-me.com

Email: sportsnets@tss-me.com **25** 






#### **CLASSIC GOALS**

(6 length x 2 height x 1 top depth x 1.5 bottom depth)

Article	Description	Thickness	Material	Mesh	Color
12445030000	Football A7	3 mm	PP	100 mm	
12445030001	Football A7	3 mm	PP	100 mm	
12445030002	Football A7	3 mm	PP	100 mm	
12445030003	Football A7	3 mm	PP	100 mm	
12445030004	Football A7	3 mm	PP	100 mm	
12445034502	Football A7	3 mm	PP	45 mm	



#### **BOX-SHAPED GOALS**

(6 length x 2 height x 2 top depth x 2 bottom depth)

Article	Description	Thickness	Material	Mesh	Color
12445093000	Football A7 Box-Shaped	4 mm	PP	100 mm	
12445093452	Football A7 Box-Shaped	4 mm	PP	45 mm	

#### Football A5 / Beach Football

#### Training Line: 3 mm

#### **CLASSIC GOALS**

(5.5 length x 2.2 height x 1 top depth x 1.5 bottom depth)

Article	Description	Thickness	Material	Mesh	Color
12443020000	Football A5	3 mm	PES	100 mm	
12443020001	Football A5	3 mm	PP	100 mm	
12443020002	Football A5	3 mm	PP	100 mm	
12443020452	Football A5	3 mm	PP	45 mm	

#### **Professional Line: 4 mm**



#### **CLASSIC GOALS**

(5.5 length x 2.2 height x 1 top depth x 1.5 bottom depth)

Article	Description	Thickness	Material	Mesh	Color
12444080000	Football A5	4 mm	PP	100 mm	
12444080001	Football A5	4 mm	PP	100 mm	
12444080002	Football A5	4 mm	PP	100 mm	
12444080452	Football A5	4 mm	PP	45 mm	

#### **Mini Goals**




#### Do you have different sizes of the

goals? Don't worry! Give us the sizes of the goal, thickness,color, mesh size and we will produce your perfect net that will fit perfectly.
Also, we can personalize the net with your logo.

Article	Description	Thickness	Material	Mesh	Color	Size
12443945100	Mini Football	3 mm	PP	100 mm		1,3x0,9x 0,7x0,7
12443020001	Mini Football	3 mm	PP	100 mm		1,9x1,3x0,7x0,7

#### **Beach Football Boundary Lines**





Article	Description	Color	
92999900100	Beach Football Boundary Lines		The set of boundary lines are made from ultra-resistant PVC. It consists of 4 lines of 12 m and 2 lines of 37 m.
92999900103	Beach Football Boundary Lines		Width of the line is 5 cm. For joining the corners, the lines have eyelets for pins that you can buy apart. It's
92999900106	Beach Football Boundary Lines	_	possible to make a publicity print on the lines.

TSS Trading LLC, PO Box 282691, Dubai, United Arab Emirates

TEL: +971 4 380 5391, FAX: +971 55 329 8094 Website: www.sportsnets-me.com

Email: sportsnets@tss-me.com



### **Cricket Nets**





Our backstop nettings offer tough protection with near-perfect visibility with incredible strength-to-weight. We can design, engineer and build your custom nets for cricket, baseball or any kind of sport project.





**UHMWPE** is one of the strongest and lightest materials for netting in the world.

Its strength to weight ratio is 8-15 times greater than steel.

- Knotless **UHMWPE** netting provides better audience visibility.
- UHMWPE netting offers outstanding resistance to UV rays, sea water, abrasion and rupture with the very little thickness of the thread.
- Light weight offers cheaper transportation and easier installation.
- Available in different thicknesses and meshes.





TSS Trading LLC, PO Box 282691, Dubai, United Arab Emirates
TEL: +971 4 380 5391, FAX: +971 55 329 8094



### **Handball & Futsal Nets**










#### All our full size Handball Nets are available both solid and multiple colour and mesh options.

**TSS Sports Nets** produces high quality handball nets in a large variety of both regular and custom sizes upon request.

Made of the finest UV treated Polypropylene, our handball goal nettings meet the requirements of the **EN 749** standard and are requested for the most important competitions.

All our full size handball nets are available both solid and multiple colour and mesh options to fit all styles of handball / futsal goal posts.

#### Training Line: 3 mm



#### **CLASSIC GOALS**

3 m length x 2 m height x 0.8 m top depth x 1 m bottom depth

Article	Description	Thickness	Material	Mesh	Color
11013520000	Handball/Futsal	3 mm	PES	100 mm	
11443010000	Handball/Futsal	3 mm	PP	100 mm	
11443010001	Handball/Futsal	3 mm	PP	100 mm	
11443010002	Handball/Futsal	3 mm	PP	100 mm	

#### **Professional Line: 4 mm**





Our handball goal nets offer the following advantages:

- A high strength mesh and energy absorption capability.
- The lightweight design and soft structure of the nets make them easier to assemble.
- Precise mesh size because of the way the joins in the mesh interlock.
- Very little abrasion / high resistance to chafing.

Our handball/futsal nets meets all the requirements of the **DIN EN 749** standard:

- Mesh size is not more than 100 mm;
- Thickness diameter is more than 2 mm
- Have a tension rope along the back for easy and safe installation.

Article	Description	Thickness	Material	Mesh	Color
11444010000	Handball/Futsal	4 mm	PP	100 mm	
11013510090	Handball/Futsal	4 mm	PA	100 mm	
11444010001	Handball/Futsal	4 mm	PP	100 mm	
11444010002	Handball/Futsal	4 mm	PP	100 mm	
11444010003	Handball/Futsal	4 mm	PP	100 mm	
11444010004	Handball/Futsal	4 mm	PP	100 mm	
11444010006	Handball/Futsal	4 mm	PP	100 mm	
11444010020	Handball/Futsal	4 mm	PP	100 mm	
11444010030	Handball/Futsal	4 mm	PP	100 mm	1
11444010040	Handball/Futsal	4 mm	PP	100 mm	1
11444010043	Handball/Futsal	4 mm	PP	100 mm	
11444015000	Handball/Futsal Box-Shaped	4 mm	PP	hexagonal	
11444015020	Handball/Futsal Box-Shaped	4 mm	PP	hexagonal	1
11444015030	Handball/Futsal Box-Shaped	4 mm	PP	hexagonal	N
11444015040	Handball/Futsal Box-Shaped	4 mm	PP	hexagonal	1


TSS Trading LLC, PO Box 282691, Dubai, United Arab Emirates

TEL: +971 4 380 5391, FAX: +971 55 329 8094 Website: www.sportsnets-me.com

Email: sportsnets@tss-me.com



### **Tennis & Paddle Nets**



108th DAVIS CUP 2019 100th DAVIS CUP 2011

ATP WORLD TOUR 250 QATAR OPEN

ATP MASTERS SERIES MADRID OPEN 2002 Stocking Europe's largest range of nets sizes, Leon de Oro draws on over 40 years of experience in the industry.

TSS Sports Nets is at the forefront of net design and development, with new netting technologies constantly being introduced. We can cater to your custom netting requirements. Our extensive warehouse capabilities allow IMMEDIATE supply of large scale orders, with shipping available throughout worldwide. Our 50mm high pvc webbing net tape with 4 rows of stitching and UV resistance give our nets a neat finish and long lasting durability.

Our tennis and paddle nets meet all the requirements of the EN 1510 standard:

- Mesh size is less than 45 mm;
- The tensioner cable (less than 8 mm in diameter) should be inside top band of the net.
- Have a tension rope along the back for a better fixation of the net.

The strength and durability of our paddle nets is well recognised and
approved for the Spanish Paddle Federation (RE 17/00022). Our
cleverly designed knotless nets are made of high tenacity, UV stabilised
and rot-proof polypropylene.
- Andrewson and
T Was the second

The strength and durability of our paddle nets is well recognised and



Gold Line	Classic Line
PPHT	PeHT
Knotless	With knots
Training - just top band. Competition - around the perimeter.	Just top band. Paddle Competition - around the perimeter.
✓	✓
✓	✓
✓	Χ
✓	Χ
	PPHT Knotless Training - just top band. Competition - around the

#### **Gold Line**





i	Article	Description	Thickness	Material
	13122004501	Tennis Training	3 mm	PP
i	13122514701	Tennis Training	4 mm	PP
	13113524501	Tennis Competition	4 mm	PP
Ì	13113514501	Tennis Competition	5 mm	PP

#### **Classic Line**






Article	Description	Thickness	Material
13122004501	Tennis Training	3 mm	PET
13122514701	Tennis Training	3 mm	PET (double mesh)
13113524501	Tennis	5 mm	PET
13113514501	Tennis	5 mm	PET Elite (5 top double meshes)

TSS Trading LLC, PO Box 282691, Dubai, United Arab Emirates

TEL: +971 4 380 5391, FAX: +971 55 329 8094 Website: www.sportsnets-me.com Email: sportsnets@tss-me.com



### **Volleyball Nets**



TSS Sports Nets produces high quality Volleyball nets in a large variety of regular and customized designs for the most important tournaments.

Our volleyball nets meet all the requirements of the EN 1271 standard:

- Always in square mesh and in black colour with white top band
- With two or more tensioning ropes on both sizes of the net.
- Perfect for exterior as well as interior use as made of ultra-resistant materials to UV rays an and atmospheric conditions;
- The material is water resistant and does not cause allergies.
- · Available in several colours;
- Can be customized by size and shape.

#### **Volleyball Classic**



Article	Description	Thickness	Material	Color
14122020001	Volleyball Training	2 mm	PET	
14443020001	Volleyball Training	2 mm	PP	
14443020002	Volleyball Training	2 mm	PP	
14443035002	Volleyball Competition	4 mm	PP	

	Gold Line	Classic Line
Edge finishing	Top PVC band and reinforced border with a rope	PVC around the perimeter
Mesh size	100 mm	100 mm
Steel cable /rope for beach volleball	✓	/
Tensionning ropes	2 on each side	3 on each side with rope tensioners
Possibility of making bands in polyesther	✓	✓
Possibility of making publicity prints on pvc band	<b>✓</b>	✓
Fiberglass rods inserted in the side of the network	Х	<b>√</b>
Possibility of making custom made net with your own brand logo or additional accessories	✓	✓

#### **Beach Volleyball**



Article	Description	Thickness	Material	Color	
14449030001	Beach Volley	3 mm	PP	No band	
14449075000	Beach Volley Training	3 mm	PP		
14449600000	Beach Volley Training	3 mm	PP		
14449045001	Beach Volley Training	3 mm	PP	_	
Fea	Featured product: BVAW — Beach Volley Around the World				


TSS Trading LLC, PO Box 282691, Dubai, United Arab Emirates

TEL: +971 4 380 5391, FAX: +971 55 329 8094 Website: www.sportsnets-me.com

Email: sportsnets@tss-me.com



#### **Accessories of Volleyball**



Article	Description	Thickness
94995011399	Reparation kit: PVC top band for volleyball	Width: 14 cm (7 cm each side).
94991400099	Reparation kit: steel cable for volleyball	Thickness: 5 mm.



#### Antennas

Article	Description	Color	Thickness
94995001499	Volleyball 1-piece Antenna		Volleyball Limiting Pockets for Antennas
94995001493	Volleyball 2-piece Antenna		made of UV-resistant PVC: 1 m long and 5cm wide.
94995001496	Volleyball Limiting Pockets		They are sold in pairs

Article	Description	Thickness
94199900099	Volleyball 1-piece Antenna	Volleyball antenna made of fiberglass Ø 10 mm, has the length of 1,80 m. It is sold
94195000099	Volleyball 2-piece Antenna	by units. For one net, you need 2 units. With knots










TSS Trading LLC, PO Box 282691, Dubai, United Arab Emirates

TEL: +971 4 380 5391, FAX: +971 55 329 8094 Website: www.sportsnets-me.com Email: sportsnets@tss-me.com



#### **Nets for Discus Throw & Hammer Cages**









Discus Cage Nets comply with the standard **DLV 190.3** and Hammer Cage Nets comply with the **DLV 192.3**.

According to the rules of competition of the **International Association of Athletics Federations**, the nets for disc and hammer cages are designed to stop a disc weighing 2 kg. flying with a speed of up to 25 m/s and a hammer weighing 7.26 kg flying with a speed of up to 32 m/s.


Each disk / hammer cage net is equipped with three test meshes that have their own unique registration number so that after one year of use, the user could test the breaking force by sending a mesh to our laboratory.

After testing, the user will receive a certificate from the manufacturer if the net is suitable for use for one year more.



Article	Description	Thickness	Material	Mesh	Color
10445004500	Net	5 mm	PP	45 mm	
10445004502	Net	5 mm	PP	45 mm	
10445004501	Net	5 mm	PP	45 mm	
10445004503	Net	5 mm	PP	45 mm	
10445004504	Net	5 mm	PP	45 mm	

#### **Nets for Adventure Parks**



The theme parks are very popular in France, Italy and Germany. Our nets made from **high tenacity polypropylene** are ideal to maintain balance and to train coordination. They also serve as a safe protection against falls of people and materials. Our nets are **100% anti-allergic** and can be used by the youngest children.

The nets with the thickness of 5 mm have certificates that give  ${\bf 100\%\ safety}$ 

guarantee with the proper installation. See the full range in the section "PROTECTION NETS".



TSS Trading LLC, PO Box 282691, Dubai, United Arab Emirates TEL: +971 4 380 5391, FAX: +971 55 329 8094



#### **Up-Folding Dividing Curtains**




**Up-folding dividing curtains** aim to divide spaces in a sport hall. They provide a visual separation of two or more fields taking advantage of the lighting of the installation thanks to using of the net.



The curtain is made with net on the top and PVC tarpaulin on the bottom. It is available in flame retardant version, and is customized in terms of thickness, mesh, colour and measurements.

#### Flame-Retardant Nets



### TSS Sports Nets FR nets are produced under B1 certification according to DIN 4102-1

Article	Thickness	Mesh	Color
10343002000	2 mm	20 mm	
10513522301	2 mm	22 mm	
99443003520	3 mm	35 mm	
10443004520	3 mm	45 mm	
10443004502	3 mm	45 mm	
10443010020	3 mm	100 mm	
10443010022	3 mm	100 mm	
10445004522	5 mm	45 mm	
10445010001	5 mm	100 mm	
10445010022	5 mm	100 mm	

Flame retardant nets are the ones that have retardation in the propagation and a rapid extinction of the flame. The grease of our **PPHT is fireproofed** before it's converted to the net. Therefore, the net does not lose its qualities, unlike the nets of other brands that obtain the flame-retardant treatment through the process of deep immerse.


Our flame-retardant nets are designed both for indoor and outdoor use where they do not lose their special property even after several years of use. Our flame-retardant nets are **classified as M1 and B1** and have the corresponding certificates

TSS Trading LLC, PO Box 282691, Dubai, United Arab Emirates

TEL: +971 4 380 5391, FAX: +971 55 329 8094
Website: www.sportsnets-me.com
Email: sportsnets@tss-me.com



### **Protection Nets & Ball Stops**



TSS Sports Nets provides the very best in custom backstop nets with over 40 years experience as manufacturer.

Protection nets for football fields, handball, tennis, paddle, tennis, golf etc.

They are designed to avoid the balls leaving sport area.

Materials	PP, PES, PA
UV resistance	300 kly
Custom manufacturing	✓
Edge reinforcement	<b>✓</b>
Possibility of the edge with a lead cable (200 g or 400 g)	✓
Custom label	$\checkmark$
Possibility of producing any net these materials that are not in the catalog	<b>/</b>

#### 2 mm

Article	Description	Thickness	Material	Color
10343002000	Net	2 mm	PES	
10332002004	Net	2 mm	PP	
0332501503	Net	2 mm	PP	
0332501501	Net	2 mm	PP	
	Ideal for protection ag	ainst birds		
14449060001	Net	2,3 mm	PP	
	ldeal for golf fi	elds		
10442002022	Net	2,3 mm	PP	
10442004522	Net	2,3 mm	PP	









#### 3 mm

Article	Description	Thickness	Material	Mesh	Color
10443003500	Net	3 mm	PP	35 mm	
ldeal for protection of hockey fields					
10443003502	Net	3 mm	PP	35 mm	
10513504300	Net	3 mm	PP	45 mm	
10443004500	Net	3 mm	PP	45 mm	
10443004501	Net	3 mm	PP	45 mm	
Ideal for protection of tennis and paddle courts					

Article	Description	Thickness	Material	Mesh	Color	
10443004502	Net	3 mm	PP	45 mm		
10443004506	Net	3 mm	PP	45 mm		
10443004504	Net	3 mm	PP	45 mm		
10513510000	Net	3 mm	PES	100 mm		
10443010000	Net	3 mm	PP	100 mm		
	ldeal for protection of indoor football fields					
10443010001	Net	3 mm	PP	100 mm		
10443010002	Net	3 mm	PP	100 mm		
Ideal for protection of outdoor football fields						

TSS Trading LLC, PO Box 282691, Dubai, United Arab Emirates

TEL: +971 4 380 5391, FAX: +971 55 329 8094 Website: www.sportsnets-me.com Email: sportsnets@tss-me.com



## 4 mm







Article	Description	Thickness	Material	Mesh	Color
10444003500	Net	4 mm	PP	35 mm	
10444004500	Net	4 mm	PP	45 mm	
10444004501	Net	4 mm	PP	45 mm	
Ideal f	or protection tenn	is & soccer field:	s so children	can not climb	
10444004502	Net	4 mm	PP	45 mm	
10444004503	Net	4 mm	PP	45 mm	
10444004506	Net	4 mm	PP	45 mm	
	Ideal for tra	mpoline protecti	on for childre	n	
10444004504	Net	4 mm	PP	45 mm	
10513504510	Net	4 mm	PP	45 mm	
10444010000	Net	4 mm	PP	100 mm	
10444010001	Net	4 mm	PP	100 mm	
10444010002	Net	4 mm	PP	100 mm	
	Ideal for prote	ction of football	& handball fie	elds	
10444010003	Net	4 mm	PP	100 mm	
10444010006	Net	4 mm	PP	45 mm	
10444010004	Net	4 mm	PP	45 mm	
10513510010	Net	4 mm	PA	100 mm	
10444012002	Net	4 mm	PP	120 mm	
10444012020	Net	4 mm	PP	120 mm	4
10444012030	Net	4 mm	PP	120 mm	_
10444012034	Net	4 mm	PP	120 mm	4
10444012010	Net	4 mm	PP	120 mm	4
10444012014	Net	4 mm	PA	120 mm	
10444012016	Net	4 mm	PP	120 mm	
10444012013	Net	4 mm	PP	120 mm	

# 5 mm



Article	Description	Thickness	Material	Mesh	Color		
10445004500	Net	5 mm	PP	45 mm			
10445004502	Net	5 mm	PP	45 mm			
Ideal for adventure parks							
10445004501	Net	5 mm	PP	45 mm			
10445004503	Net	5 mm	PP	45 mm			
10445010000	Net	5 mm	PP	100 mm			
10445010001	Net	5 mm	PP	100 mm			
10445010002	Net	5 mm	PP	100 mm			
10445010003	Net	5 mm	PP	100 mm			
10445010004	Net	5 mm	PP	100 mm			

6 mm





Article	Description	Thickness	Material	Mesh	Color		
10226007001	Net	6 mm	PA	70 mm			
Ideal forlifting heavy objects							

TSS Trading LLC, PO Box 282691, Dubai, United Arab Emirates TEL: +971 4 380 5391, FAX: +971 55 329 8094



# **Ropes & Accessories**

**TSS Sports Nets** offers a wide variety of installation accessories. In this catalog you'll find the most frequent accessories. For all other accessories, consult your personal manager.

#### ROPE 30 KN

Material: PaHT Diameter: 14 mm Minimum resistance: 30 kN. Article: 70021000000 Roll: 100 ml



#### ROPE 30 KN

Material: PPHT Diameter: 12 mm Configuration: twisted Minimum resistance: 20 kN Article: 70421020000

Roll: 100 mlRoll: 100 ml

Configuration: braided Article: 70421020012



### ROPE 15 KN

Objective: to attach the safety net to the structure (double branch). Material: PPHT Diameter: 10 mm Minimum resistance: 15 kN. Roll: 100 ml. Configuration: braided Article: 70425000114 Configuration: twisted Article: 70425000000





#### **RAFFIA ROPE 15 KN**

It is used in two fold position for mounting the nets of System S. NB: this rope is not certified. Material: PPHT raffia Diameter: 10 mm Breaking force: 15 kN Articles: Orange; 70428000100 White: 70428000101 Blue: 70428000103 Roll: 220 ml. MOQ: 108 roll/



#### **ELASTIC ROPE**

Material: Rubber latex inside and high tenacity polyester shirt. Articles:

6 mm white: 70016000200 8 mm white: 70018000200 8 mm blue: 70418000203

Roll: 200 ml



#### **ROPE 14 MM EN 795**

Diameter: 14 mm
Configuration: braided
Breaking force: 40 kN
Article: 70421400002
Roll: 100 ml
Features:The rope serves for
horizontal and vertical lifelines
and complies with all the
requirements of FN 795



#### SEMISTATIC ROPE EN 1891 "GOLDEN ROPE" 30 KN

pallet

Material: PaHT Type A Breaking force: 30 kN Diameter: 10.5 mm Configuration: braided with / without suit Certificate: EC-Type Article: 70011100000 Roll: 100 ml



### LEAD ROPE

Material: Lead rope with PP shirt Diameter: 10 mm Configuration: braided 200 g/m white: 91912000099 400 g/m black: 91914000098 400 g/m white: 91914000099



# ROPE 5 MM

Material: PP Diameter: 5 mm Configuration: braided Yellow: 70418000006 White: 70418000000 Green: 70418000004 Black: 70418000001 Blue: 70418000003 Roll: 220 ml



## ROPE 6 MM PA

Material: PaHT Diameter: 6 mm Configuration: braided Colour: white Article: 70016000100 Roll: 100 ml



# ROPE 8 MM

Material: PP
Diameter: 8 mm
Configuration: braided
Green: 97418000002
White with spots: 70218010000
White: 70428000000
Roll: 100 ml



# ROPE 10 MM

Material: PPHT Diameter: 10 mm Configuration: braided White/Green: 70419000032 White/Red: 70419000034 Roll: 100 ml



## Hemp climbing rope

Hemp climbing rope is the most resistant to friction between all materials. It is not convenient to use it outdoors because being a natural fiber, water can damage it. **The rope can be customized.** 



### ROPE 14 MM

Material: PST Diameter: 14 mm Configuration: cabled White: 70421400001 Black: 95001200001 Roll: 100 ml



### CARABINER 25 KN

Objective: to attach the net to the structure or cable

Article: 95808080000



# Article Description Thickness Length 41992600400 Hemp rope with a thimble on one end 26 mm 4 m 41992601400 Hemp rope with climbing knots 26 mm 4 m

TSS Trading LLC, PO Box 282691, Dubai, United Arab Emirates TEL: +971 4 380 5391, FAX: +971 55 329 8094



# **TSS Padel Tennis Courts**

# **Designed & Manufactured in UAE:**

With the growing popularity of Padel Tennis in the Gulf more clubs and individuals have the need for courts in their clubs or homes.



# **Advantages of Local Manufacture:**

Local Transaction with credit facility (where applicable) without the need for 100% upfront payment. Warranty issued from a local company with optional Annual Maintenance Contract and spare parts. Full Manufacture and Assembly service with Warranty for the workmanship.

Shortened delivery period cut from 3 months to 3 weeks.

Choice of Turf and Frame colors to suit individual and company branding.



TSS Trading LLC, PO Box 282691, Dubai, United Arab Emirates

TEL: +971 4 380 5391, FAX: +971 55 329 8094 Website: www.sportsnets-me.com



# **MAJOR CLIENTS**



TSS Trading LLC, PO Box 282691, Dubai, United Arab Emirates TEL: +971 4 380 5391, FAX: +971 55 329 8094



# **OUR CLIENTS**



























TSS Trading LLC, PO Box 282691, Dubai, United Arab Emirates TEL: +971 4 380 5391, FAX: +971 55 329 8094



# **Previous Works**



TSS Trading LLC, PO Box 282691, Dubai, United Arab Emirates TEL: +971 4 380 5391, FAX: +971 55 329 8094





Ball Stop Net
Dubai Golf Club



Padel Tennis Court ASI Padel, Abu Dhabi



**Cricket Practice Net Smashing Point, Dubai** 



**PVC Stadium Seats Al Dhaid Football club** 

TSS Trading LLC, PO Box 282691, Dubai, United Arab Emirates TEL: +971 4 380 5391, FAX: +971 55 329 8094



PO Box 282691 T:04 3805391 F:04 3214155 Dubai United Arab Emirates www.tss-me.com



Padel Court Private Farm, Dubai



**BSN with Bottom Wind Breaker Padel Pro JLT, Dubai** 



Padel Court Padel Pro, Dubai



Ceiling Net Military Camp, Dubai

TSS Trading LLC, PO Box 282691, Dubai, United Arab Emirates TEL: +971 4 380 5391, FAX: +971 55 329 8094





Net Divider
World Trade Center, Dubai



**Movable Ball Stop Net Academic City, Dubai** 



Gym Divider (Manuel Move)

Deira International School



**Ball Stop Net Kent College, Dubai** 


TSS Trading LLC, PO Box 282691, Dubai, United Arab Emirates TEL: +971 4 380 5391, FAX: +971 55 329 8094





Padel Court Al Shafar

Padel Court Oras Garden



World trade centre, Divider net




Tennis Court Al Rawya

TSS Trading LLC, PO Box 282691, Dubai, United Arab Emirates TEL: +971 4 380 5391, FAX: +971 55 329 8094





Ceiling Net
Fairgreen International School



**Divider Net Aktiv Nation** 




TSS PP Net Fence Kalba Hospital



Padel Tennis Court Nad Al Sheba

TSS Trading LLC, PO Box 282691, Dubai, United Arab Emirates TEL: +971 4 380 5391, FAX: +971 55 329 8094





PP Net Decoration
World Padel Academy - Al Quoz



**Ball Stop Net Emaar Greens** 



**Ball Stop Net Selection sports** 



Padel Tennis Court
Damac D2

TSS Trading LLC, PO Box 282691, Dubai, United Arab Emirates TEL: +971 4 380 5391, FAX: +971 55 329 8094